

Amendments To The Claims

This listing of claims will replace all prior versions and listings of claims in the application. Claims 1, 3, 4, 6, and 9-17 are amended.

1. (Currently amended) A photoconductor comprising a charge generation layer and a charge transport layer, at least one of said layers comprising a material selected from the group consisting of tetraphenylcyclopentadienone and 9-fluorenone and also comprising 1 percent to 5 percent by weight of ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 based on the total weight of said at least one layer.

2. (Original) The photoconductor as in claim 1 in which said at least one layer comprises tetraphenylcyclopentadienone.

3. (Currently amended) The photoconductor as in claim 1 in which said at least one layer comprises ~~fluorenone-9-fluorenone~~.

4. (Currently amended) A photoconductor comprising a charge generation layer and a charge transport layer, said charge transport layer comprising a material selected from the group consisting of tetraphenylcyclopentadienone and 9-fluorenone and also comprising 1 percent to 5 percent by weight of ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 based on the weight of said charge transport layer.

5. (Original) The photoconductor as in claim 4 in which said charge transport layer comprises tetraphenylcyclopentadienone.

6. (Currently amended) The photoconductor as in claim 4 in which said charge transport layer comprises ~~fluorenone-9-fluorenone~~.

7. (Original) The photoconductor as in claim 5 in which said charge transport layer comprises a material selected from the group consisting of hydrazones and arylamines as charge transport materials.

8. (Original) The photoconductor as in claim 6 in which said charge transport layer comprises a material selected from the group consisting of hydrazones and arylamines as charge transport materials.

9. (Currently amended) The photoconductor as in claim 7 in which the ratio by weight of said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 to said tetraphenylcyclopentadienone is in the range of 1:1 to 1:3.

10. (Currently amended) The photoconductor as in claim 8 in which the ratio by weight of said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 to said ~~fluorenone-2-~~ fluorenone is in the range of 1:1 to 1:3.

11. (Currently amended) The photoconductor as in claim 4 in which said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

12. (Currently amended) The photoconductor as in claim 5 in which said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

13. (Currently amended) The photoconductor as in claim 6 in which said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

14. (Currently amended) The photoconductor as in claim 7 in which said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

15. (Currently amended) The photoconductor as in claim 8 in which said ~~acetosol-yellow-5GLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

16. (Currently amended) The photoconductor as in claim 9 in which said ~~acetosol yellow-SGLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.

17. (Currently amended) The photoconductor as in claim 10 in which said ~~acetosol yellow-SGLS~~ C.I. Solvent Yellow 138 is in amount of 2 percent to 4 percent by weight of the weight of said charge transport layer.